

## The Good Lab

2501 W Colorado Ave Suite 204 Colorado Springs, CO 80904 Info@GoodLabColorado.com www.GoodLabColorado.com

## **Potency Analysis**

Customer ID	2489	Cust Name		Archive Seed Bank Casper OG		
Sample ID	2014721	Sample Nam <mark>e</mark>				
Sample Typ <mark>e</mark>	Seed	Date Receive <mark>d</mark>	04/05/2022	Date Completed	04/08/2022	
Canachin	oid Profile %					
		20.00				
CBDV	N/D	15.00				
CBDA	N/D	10.00				
CBGA	N/D		5.00			
CBG	N/D	5.00				
THCV	N/D	0.00		1 1 1		
CBD	N/D	СВ	DV CBDA CBGA CBG TI	HCV CBD CBN Δ9T	HC CBC THCA	
CBN	N/D					
Δ9THC	N/D	Cannabi	Cannabinoid Percentage (%)			
СВС	N/D		0.00%	0.00%		
THCA	N/D			•		
TOTAL	N/D					
		·				
	Chromatography (HPLC reported as <loq. c<="" th=""><th>). Detectable amount Our standard detection</th><th>ntage by dry weight using High s below .06% are below our le n limit is .02%. Results below . ur deviation is within the indu</th><th>evel of quantitation and 02% are considered</th><th></th></loq.>	). Detectable amount Our standard detection	ntage by dry weight using High s below .06% are below our le n limit is .02%. Results below . ur deviation is within the indu	evel of quantitation and 02% are considered		
		EINAL	APPROVAL			
Analysis:		FINAL	Quality Control:			
Gregory P. Duran, Lab	Owner	phin	M. Teri Robnett, Lab	Manager MTT	Schnett	

**expressed consent of The Good Lab.** This information is provided as a service and makes no claims of efficacy, safety or compliance of this product. Results are reported in percentage by dry weight. Results are applicable only for the sample as presented to The Good Lab and for the specific test conducted. Due to many factors outside The Good Lab's control, results may vary; therefore, we adhere to the cannabis analytical laboratory standard of error of +/- 5%. Cannabinoid content variations may be due to natural variations in the plant and/or inaccurate sampling practices. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical symptoms or conditions. The statements and results herein have not been approved or endorsed by the FDA. Results are applicable only for the sample supplied to The Good Lab.