

## The Good Lab

2501 W Colorado Ave Suite 204 Colorado Springs, CO 80904 Info@GoodLabColorado.com www.GoodLabColorado.com

## **Potency Analysis**

Customer ID	2489	Cust Name		Archive Seed Bank		
Sample ID	2014750	Sample Name		Southern Belle		
Sample Type	Seed	Date Received	04/05/2022	Date Completed	04/08/2022	
Cannabin	oid Profile %	20.00				
CBDV	N/D	15.00				
CBDA	N/D					
CBGA	N/D	N/D 10.00				
CBG	N/D	5.00				
THCV	N/D	0.00				
CBD	N/D	CBDV	CBDA CBGA CBG TH	DA CBGA CBG THCV CBD CBN A9THC CBC THCA		
CBN	N/D					
Δ9ТНС	N/D	Cannabinoi	oid Percentage (%) Δ9THC Percentage (%)			
CBC	N/D	C	0.00%		0.00%	
THCA	N/D			-		
TOTAL	N/D					
	Chromatography (HPLC reported as <loq. c<="" th=""><th>are reported in percentag ). Detectable amounts be Dur standard detection lim orted as Trace (TR). Our de</th><th>ow .06% are below our le it is .0<mark>2%</mark>. Results below .</th><th>evel of quantitation and 02% are considered</th><th></th></loq.>	are reported in percentag ). Detectable amounts be Dur standard detection lim orted as Trace (TR). Our de	ow .06% are below our le it is .0 <mark>2%</mark> . Results below .	evel of quantitation and 02% are considered		
		FINAL AP	PROVAL			
Analysis:			Quality Control:			
Gregory P. Duran, Lab	Owner	plu	M. Teri Robnett, Lab I	Manager MT	Hand	

**expressed consent of The Good Lab.** This information is provided as a service and makes no claims of efficacy, safety or compliance of this product. Results are reported in percentage by dry weight. Results are applicable only for the sample as presented to The Good Lab and for the specific test conducted. Due to many factors outside The Good Lab's control, results may vary; therefore, we adhere to the cannabis analytical laboratory standard of error of +/- 5%. Cannabinoid content variations may be due to natural variations in the plant and/or inaccurate sampling practices. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical symptoms or conditions. The statements and results herein have not been approved or endorsed by the FDA. Results are applicable only for the sample supplied to The Good Lab.